Please check the examination details below before entering your candidate information

Candidate surname	Other names

Centre Number | Candidate Number

Pearson Edexcel Award

Tuesday 25 June 2024

Afternoon (Time: 3 hours)

Paper reference **9811/01**

Advanced Extension Award Mathematics

You must have:
Mathematical Formulae and Statistical Tables
An insert for questions 5, 6 and 7 (enclosed)

Total Marks

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided – *there may be more space than you need.*
- **Calculators may not be used.**
- You must **show all your working.**
- Answers should be given in as simple a form as possible, e.g. $\frac{2\pi}{3}, \sqrt{2}, 3\sqrt{2}$.

Information

- The total mark for this paper is 100 of which **7** marks are for style and clarity of presentation.
- The style and clarity of presentation marks will be indicated as **(+S1) or (+S2)**.
- There are 7 questions in this question paper.
- The marks for **each** question are shown in brackets.
- The total mark for each question is shown at the end of the question.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶

P72907A

©2024 Pearson Education Ltd.
F:1/1/1/

P 7 2 9 0 7 A 0 1 3 2

Pearson

1. In the binomial expansion of

$$(1 - 8x)^p \qquad |x| < \frac{1}{8}$$

where p is a positive constant,

- the sum of the coefficient of x and the coefficient of x^2 is equal to the coefficient of x^3
- the coefficient of x^2 is positive

Determine the value of p.

(7)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 1 continued

(Total for Question 1 is 7 marks)

2.



Figure 1

Figure 1 shows the curve defined by the equation

$$y^2 + 3y - 6\sin y = 4 - x^2$$

The point $P(x, y)$ lies on the curve.

The distance from the origin, O, to P is D.

(a) Write down an equation for D^2 in terms of y only.

(1)

(b) Hence determine the minimum value of D giving your answer in simplest form.

(5)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 2 continued

(Total for Question 2 is 6 marks)

3. (i) Determine the value of k such that

$$\arctan\frac{1}{2} - \arctan\frac{1}{3} = \arctan k$$

(3)

(ii)(a) Prove that

$$\cos 3A \equiv 4\cos^3 A - 3\cos A$$

(3)

Given that $a = \cos 20°$

(b) write down, in terms of a, an expression for $\cos 40°$

(1)

(c) determine, in terms of a, a simplified expression for $\cos 80°$

(2)

(d) Use part (a) to show that

$$4a^3 - 3a = \frac{1}{2}$$

(1)

(e) Hence, or otherwise, show that

$$\cos 20° \cos 40° \cos 80° = \frac{1}{8}$$

(4)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 3 continued

Question 3 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 3 continued

(Total for Question 3 is 14 marks)

4. (a) Use the substitution $x = \sqrt{3}\tan u$ to show that

$$\int \frac{1}{3 + x^2}\,\mathrm{d}x = p\arctan(px) + c$$

where p is a real constant to be determined and c is an arbitrary constant.

(5)

(b) Use the substitution $x = \dfrac{3u + 3}{u - 3}$ to determine the exact value of I where

$$I = \int_{-3}^{1} \frac{\ln(3 - x)}{3 + x^2}\,\mathrm{d}x$$

giving your answer in simplest form.

(10)
(+S1)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 4 continued

Question 4 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Question 4 continued

(Total for Question 4 is 16 marks)

5.



Figure 2

Figure 2 shows a sketch of a hexagon $OABCDE$ where

- the interior angle at O and at C are each 60°
- the interior angle at each of the other vertices is 150°
- $OA = OE = BC = CD$
- $AB = ED = 3 \times OA$

Given that $\overrightarrow{OA} = \mathbf{a}$ and $\overrightarrow{OE} = \mathbf{e}$

determine as simplified expressions in terms of **a** and **e**

(a) $\overrightarrow{AB}$

(3)

(b) $\overrightarrow{OD}$

(2)

The point R divides AB internally in the ratio 1 : 2

(c) Determine $\overrightarrow{RC}$ as a simplified expression in terms of **a** and **e**

(2)

The line through the points R and C meets the line through the points O and D at the point X.

(d) Determine $\overrightarrow{OX}$ in the form $\lambda\mathbf{a} + \mu\mathbf{e}$, where λ and μ are real values in simplest form.

(6)

(+S2)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 5 continued

Question 5 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 5 continued

Question 5 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 5 continued

(Total for Question 5 is 15 marks)

6.



Figure 3

Figure 3 shows a block A with mass $4m$ and a block B with mass $5m$.
Block A is at rest on a rough plane inclined at an angle α to the horizontal.
Block B is at rest on a rough plane inclined at an angle β to the horizontal.

The blocks are connected by a light inextensible string which passes over a small smooth pulley at the top of each plane.

A small smooth ring C, of mass $8m$, is threaded on the string between the pulleys so that A, B and C all lie in the same vertical plane.

The part of the string between A and its pulley lies along a line of greatest slope of the plane of angle α.

The part of the string between B and its pulley lies along a line of greatest slope of the plane of angle β.

The angle between the vertical and the string between each pulley and the ring C is γ.

The two blocks, A and B, are modelled as particles.

Given that

- $\tan\alpha = \frac{5}{12}$ and $\tan\beta = \frac{7}{24}$ and $\tan\gamma = \frac{3}{4}$
- the coefficient of friction, μ, is the same between each block and its plane
- one of the blocks is on the point of sliding up its plane
- the tension in the string is T

(a) determine, in terms of m and g, an expression for T,

(3)

(b) draw a diagram showing the forces on block A, clearly labelling each of the forces acting on the block,

(3)

(c) determine the value of μ, giving a justification for your answer.

(10)
(+S2)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 6 continued

Question 6 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Question 6 continued

Question 6 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Question 6 continued

(Total for Question 6 is 18 marks)

7.



Figure 4

Figure 4 shows a circle with radius r_1 and a circle with radius r_2
The circles touch externally at a single point above the x-axis.
Both circles also have the x-axis as a tangent.

(a) Show that the horizontal distance between the centres of the circles, d, is given by

$$d^2 = 4r_1 r_2$$

(2)

The finite region R, shown shaded in Figure 4, is bounded by the x-axis and minor arcs of the two circles.

Given that $r_1 \geqslant r_2$

(b) show that the area of R is given by

$$\left(r_1 + r_2\right)\sqrt{r_1 r_2} - \frac{1}{2}\left(r_1^2 - r_2^2\right)\theta - \frac{1}{2}\pi r_2^2$$

where $\cos\theta = \dfrac{r_1 - r_2}{r_1 + r_2}$

(5)

Question 7 continues on the next page.

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 7 continued



Figure 5

A sequence of circles, C_1, C_2, C_3, ... with radii r_1, r_2, r_3, ... respectively, is constructed such that

- each circle is tangential to and above the x-axis
- the first circle, C_1, has centre (0, 1)
- each successive circle touches the preceding one externally at a single point
- the horizontal distances between the centres of successive circles form a geometric sequence with first term 2 and common ratio $\frac{1}{\sqrt{3}}$

The first few circles in the sequence are shown in Figure 5.

(c) (i) Determine the value of r_3

(ii) Show that, for $n \geqslant 1$, $r_{n+2} = kr_n$ where k is a constant to be determined.

(iii) Hence show that, for $n \geqslant 1$, $r_{2n} = r_{2n-1}$

(9)

The region bounded between C_n, C_{n+1} and the x-axis is R_n

The total area, A, bounded above the x-axis and under all the circles is the sum of the areas of all these regions.

(d) Determine the value of A, giving the answer in simplest form.

(6)
(+S2)

Question 7 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 7 continued

Question 7 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Question 7 continued

Question 7 continued

(Total for Question 7 is 24 marks)

TOTAL FOR PAPER IS 100 MARKS

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Pearson Edexcel Award

Tuesday 25 June 2024

Afternoon (Time: 3 hours)

Paper reference 9811/01

Advanced Extension Award Mathematics

Insert for questions 5, 6 and 7
Do not write on this insert.

Turn over ▶

P72907A

©2024 Pearson Education Ltd.
F:1/1/1/

P 7 2 9 0 7 A

Pearson

5.



Figure 2

Figure 2 shows a sketch of a hexagon $OABCDE$ where

- the interior angle at O and at C are each 60°
- the interior angle at each of the other vertices is 150°
- $OA = OE = BC = CD$
- $AB = ED = 3 \times OA$

Given that $\overrightarrow{OA} = \mathbf{a}$ and $\overrightarrow{OE} = \mathbf{e}$

determine as simplified expressions in terms of **a** and **e**

(a) $\overrightarrow{AB}$

(3)

(b) $\overrightarrow{OD}$

(2)

The point R divides AB internally in the ratio 1 : 2

(c) Determine $\overrightarrow{RC}$ as a simplified expression in terms of **a** and **e**

(2)

The line through the points R and C meets the line through the points O and D at the point X.

(d) Determine $\overrightarrow{OX}$ in the form $\lambda\mathbf{a} + \mu\mathbf{e}$, where λ and μ are real values in simplest form.

(6)
(+S2)

(Total for Question 5 is 15 marks)

6.



Figure 3

Figure 3 shows a block A with mass $4m$ and a block B with mass $5m$.
Block A is at rest on a rough plane inclined at an angle α to the horizontal.
Block B is at rest on a rough plane inclined at an angle β to the horizontal.

The blocks are connected by a light inextensible string which passes over a small smooth pulley at the top of each plane.

A small smooth ring C, of mass $8m$, is threaded on the string between the pulleys so that A, B and C all lie in the same vertical plane.

The part of the string between A and its pulley lies along a line of greatest slope of the plane of angle α.

The part of the string between B and its pulley lies along a line of greatest slope of the plane of angle β.

The angle between the vertical and the string between each pulley and the ring C is γ.

The two blocks, A and B, are modelled as particles.

Given that

- $\tan\alpha = \frac{5}{12}$ and $\tan\beta = \frac{7}{24}$ and $\tan\gamma = \frac{3}{4}$
- the coefficient of friction, μ, is the same between each block and its plane
- one of the blocks is on the point of sliding up its plane
- the tension in the string is T

(a) determine, in terms of m and g, an expression for T,

(3)

(b) draw a diagram showing the forces on block A, clearly labelling each of the forces acting on the block,

(3)

(c) determine the value of μ, giving a justification for your answer.

(10)
(+S2)

(Total for Question 6 is 18 marks)

7.



Figure 4

Figure 4 shows a circle with radius r_1 and a circle with radius r_2
The circles touch externally at a single point above the x-axis.
Both circles also have the x-axis as a tangent.

(a) Show that the horizontal distance between the centres of the circles, d, is given by

$$d^2 = 4r_1 r_2$$

(2)

The finite region R, shown shaded in Figure 4, is bounded by the x-axis and minor arcs of the two circles.

Given that $r_1 \geqslant r_2$

(b) show that the area of R is given by

$$(r_1 + r_2)\sqrt{r_1 r_2} - \frac{1}{2}\left(r_1^2 - r_2^2\right)\theta - \frac{1}{2}\pi r_2^2$$

where $\cos\theta = \dfrac{r_1 - r_2}{r_1 + r_2}$

(5)

Question 7 continues on the next page.

Question 7 continued



Figure 5

A sequence of circles, C_1, C_2, C_3, ... with radii r_1, r_2, r_3, ... respectively, is constructed such that

- each circle is tangential to and above the x-axis
- the first circle, C_1, has centre (0, 1)
- each successive circle touches the preceding one externally at a single point
- the horizontal distances between the centres of successive circles form a geometric sequence with first term 2 and common ratio $\frac{1}{\sqrt{3}}$

The first few circles in the sequence are shown in Figure 5.

(c) (i) Determine the value of r_3

(ii) Show that, for $n \geqslant 1$, $r_{n+2} = kr_n$ where k is a constant to be determined.

(iii) Hence show that, for $n \geqslant 1$, $r_{2n} = r_{2n-1}$

(9)

The region bounded between C_n, C_{n+1} and the x-axis is R_n

The total area, A, bounded above the x-axis and under all the circles is the sum of the areas of all these regions.

(d) Determine the value of A, giving the answer in simplest form.

(6)
(+S2)

(Total for Question 7 is 24 marks)

BLANK PAGE

BLANK PAGE

BLANK PAGE